



September 05, 2017

NOTICE INVITING TENDER

Shyam Lal College (University of Delhi), G.T Road Shahdara, Delhi-110032, Invites sealed quotations for Construction work of Dustbin in shyam Lal college.

Followings are the Specifications.

S.N.	DESCRIPTION	AREA (Approx.)	UNIT RS	AMOUNT
1.	Proposed Dustbin Chambers (4.0 M X 6.0 M) construction work in college based on Plinth Area Estimate. (As per Drawing include) <u>Dimensions of plinth area</u> 4.00 Metre X 6.00 Metre	24.00 Sqmt		

General Specifications for Proposed Construction work of Dustbin.

- **CIVIL WORK**
- **Foundation**
Foundation should be Construct As per drawing.
- **P.C.C & C.C.**
P.C.C should be used grade M: 5 & C.C. used in M: 20.
- **Brick work – Substructure**
- 230 mm thick bricks work with cement mortar (1: 6) in foundation should be used.
- **Plinth**
- Material filling in plinth provided by college (only felling labour charges). Height & width of plinth as per drawing.
40 mm horizontal DPC should be used at the plinth level with mortar thick DPC 1:2:4.
- **Floor finish**
Cement Concrete flooring should be used in as per DSR-2014 Specifications Item No 11.3.
- **Brick work – Super structure**
115 mm thick bricks work with cement mortar (1: 4) in walls & 230 mm thick brick & Concrete pillars should be provided in corners joints of all walls.
- **Cement plaster**
12 mm thick plaster should be used in facing side & 15 mm thick plaster should be used backing side of wall with cement mortar (1: 4).
- **Doors & Windows**
Providing & Fixing MS Door good & strength full with frame made by angle & Flats & sheet should be used as per drawing.
- **Roof Covering**
Providing & rigidly fixing Prefabricated roof covering made by MS Steel IS Rolled steel section with corrugated iron sheet (approx. 2 mm thick) should be used as per drawing.
- **White washing**
P/A Distemping approved brand and manufacture to give an even shade in exterior and interior walls. & enamel paint should be used in all doors & windows
New work (two or more coats) over and including water thinnable
Priming coat with cement primer.



Synthetic enamel paint should be used in all doors, windows, MS Sections.

GENERAL TERMS & CONDITIONS FOR THE WORK




1. Rates are to be sent in sealed envelope from Bidders in any working day from 9:00 AM to 5:00 pm. addressed to the **Principal, Shyam Lal College** (University of Delhi), G.T. Road, Shahdara, Delhi-110032
2. The college will not be responsible for late receipt of any tender (i.e. after due date) the same will not be entertained. The tender will be accepted up to **12:30 pm** on or before **14/09/2017** and tender will be opened on **2:30 pm** on **14/09/2017**.
3. The work should be completed within **15 days** from the date of award of the contract.
4. No advance payment will be made.
5. If any additional charges related to taxes should be mentioned separately or otherwise the total amount will be treated as all inclusive.
6. College reserves the right to accept or reject any or all the quotation(s) in full or part without assigning any reason. The decision of the college in this regard shall be final and binding on all. It shall not be obligatory on the part of the College to accept the lowest tender and no explanation shall be given with regard to reason for rejection of quotation.
7. The work will be done as per the on-site instruction under the supervision of a College committee /College Authority.
8. The material supplied must conform to the relevant IS Specifications.
9. Extra remaining dispose material will be shifted as per direction of a college authority.
10. The payment will be made as per the actual measurement and verification of the quality of work by College committee /College Authority.
11. Appropriate penalty will be imposed in case of inferior workmanship. The materials brought to site would be got checked before installation & utilisation.
12. Any Confusion or discrepancy in the drawing is clarified by the college authority.
13. In case of delayed completion, Penalty at the rate 1% per Day subject to a maximum of 10% of the value of the work shall be levied.
14. In case of inordinate delay, the College is authorized to cancel the order and allot the work to the next lowest eligible agency at the risk and cost of the defaulting tenderer.
15. The work should be done as per drawing include any required change on the work is change after discussion of the college committee/ college authority.

Note: - It should be treated as a fresh call for bid invitation .The earlier call for this work (Vide tender notice dated 27 August 2017) on college and du websites stands cancelled.

The quotation must be addressed to the Principal, Shyam Lal College and the envelope must be superscribed "Sealed Quotation ".

Dr. Rabi Narayan Kar
Principal,SLC (Day)

Dr. Pravin Kumar
Principal ,SLC (E)



TITLE - PROPOSED DUSTBIN

ALL DIMENSIONS ARE IN METRE
SCALE - NTS